



**Crewsaver®**

# AIR DECK

## COMPACT INFLATABLE BOAT RANGE

**Get out on the water with ease this summer.** Our lightweight Air Deck inflatable boats are easy to transport and compact to stow, providing you with the ideal option for your yacht tender requirements or a small boat option for getting out on the water. The Air Deck is constructed using drop-stitch technology which offers rigidity for increased boat performance while keeping weight to a minimum.

### BENEFITS


- Thick rubbing strake around the boat to prevent damage
- Made with drop-stitched fabric that gives an extreme rigidity and resistance to perforation
- 2 x stainless steel tow rings fitted around the bow
- 2 x stainless steel eye bolts fitted to transom for davit attachment
- Quick to inflate and deflate
- Solid end cones for protection
- Compact and easy to stow



**“Affordable, high-quality tenders available in 5 sizes”**

# AIR DECK


## COMPACT INFLATABLE BOAT RANGE



## WHAT IS INCLUDED

- Foot pump
- Repair kit
- 2x paddles
- Carry valise (bag)
- Mooring line
- Sliding wooden seat

Air deck range comes in 5 size options. Illustration example of sizes.



TECHNICAL DATA				
<b>Name / Part Code</b>	CREWSAVER AIR DECK 180 / 85050-180	CREWSAVER AIR DECK 200 / 85050-200	CREWSAVER AIR DECK 230 / 85050-230	CREWSAVER AIR DECK 260 / 85050-260
<b>Length mm</b>	2000	2000	2300	2600
<b>Width mm</b>	1290	1290	1300	1310
<b>Tube Diameter mm</b>	320-350	350	350	370
<b>Number of Persons</b>	1.5	2	3	3
<b>Max. Loaded Weight kg</b>	200	250	350	400
<b>Weight kg</b>	16.5	17	19	21
<b>Max Power (HP)</b>	2.5	4	5	5.26
<b>Max Power (kw)</b>	1.9	3	3.75	3.9
<b>Packed Dimensions mm</b>	700 x 400 x 500	800 x 400 x 450	800 x 400 x 500	800 x 400 x 500
<b>Material</b>	1000 Denier, 0.7mm thickness, 850g/m <sup>2</sup> , 2800/2500 tensile strength, 250/300 tear strength, 105 adhesion length			

Approvals  
ISO approved

