

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) This SDS is for generic information purposes and does not reflect required country specific information for OEL

VINYCOL 1520M2 UV Supercedes Date: 12-Aug-2016

Revision Date 16-Nov-2016 Version 1.01

Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product Identifier

Product NameVINYCOL 1520M2 UVPure substance/mixtureMixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Uses advised against Adhesives. None known.

1.3. Details of the supplier of the safety data sheet

Company Name Bostik SA Immeuble "Le Jade" 253 Avenue du President Wilson 93211 La Plaine Saint Denis France Tel: +33 (0)1 55 99 90 00 Fax: +33 (0)1 55 99 90 01

E-mail address

SDS.box-EU@bostik.com

1.4. Emergency telephone number

Emergency Telephone

No information available

Section 2: HAZARD IDENTIFICATION

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Serious eye damage/eye irritation	Category 2 - (H319)
Specific target organ toxicity (single exposure)	Category 3 - (H336)
Chronic aquatic toxicity	Category 3 - (H412)
Flammable Liquids	Category 2 - (H225)

Unknown acute toxicity Unknown aquatic toxicity 82 % of the mixture consists of ingredient(s) of unknown toxicity Contains 0 % of components with unknown hazards to the aquatic environment

2.2. Label Elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Contains : Methyl ethyl ketone, Acetone

VINYCOL 1520M2 UV Supercedes Date: 12-Aug-2016



Signal Word DANGER

Hazard statements

H225 - Highly flammable liquid and vapour
H319 - Causes serious eye irritation
H336 - May cause drowsiness or dizziness
H412 - Harmful to aquatic life with long lasting effects
EUH066 - Repeated exposure may cause skin dryness or cracking

Precautionary Statements - EU (§28, 1272/2008)

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

P273 - Avoid release to the environment

P280 - Wear protective gloves and eye/face protection

P312 - Call a POISON CENTER or doctor if you feel unwell

P501 - Dispose of contents/ container to an approved waste disposal plant

Special provisions concerning the labelling of certain mixtures

This product requires tactile warnings if supplied to the general public

2.3. Other Hazards

General Hazards

In use may form flammable/explosive vapour-air mixture.

PBT and vPvB assessment

The components in this formulation do not meet the criteria for classification as PBT or vPvB

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Mixture

3.2 Mixtures

Chemical Name	EC No	CAS No.	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	REACH Registration Number
Methyl ethyl ketone	201-159-0	78-93-3	40 - <80	Eye Irrit. 2 (H319) STOT SE 3 (H336) Flam. Liq. 2 (H225) (EUH066)		01-2119457290-43-XXX X
Acetone	200-662-2	67-64-1	20 - 25	Eye Irrit. 2 (H319) STOT SE 3 (H336) Flam. Liq. 2 (H225) (EUH066)		01-2119471330-49-XXX X
1-Nitropropane	203-544-9	108-03-2	1 - <3	Acute Tox. 4 (H302) Acute Tox. 4 (H312) Acute Tox. 4 (H332) Flam. Liq. 3 (H226)	ï	01-2119475519-25-XXX X
Diisopropylnaphthalene	254-052-6	38640-62-9	1 - <3	Asp. Tox. 1 (H304) Aquatic Chronic 1 (H410)		01-2119565150-48-XXX X

Full text of H- and EUH-phrases: see section 16

Note: ^ indicates not classifed, however, the substance is listed in section 3 as it has an OEL.

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

Section 4: FIRST AID MEASURES

4.1. Description of first aid measures

General Advice	If medical advice is needed, have product container or label at hand.	
Inhalation	Remove to fresh air.	
Skin Contact	Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/ attention.	
Eye contact	In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Remove contact lenses, if present and easy to do. Continue rinsing. Call a doctor immediately.	
Ingestion	If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.	
Self-protection of the first aider	Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel.	
4.2. Most important symptoms and effects, both acute and delayed		
Symptoms	None known.	
4.3. Indication of any immediate medical attention and special treatment needed		

Note to doctors

Treat symptomatically.

Section 5: FIRE-FIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media Use CO2, dry chemical, or foam.

Unsuitable Extinguishing Media

Use water spray or fog; do not use straight streams

5.2. Special hazards arising from the substance or mixture

Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke).

5.3. Advice for firefighters

Wear self contained breathing apparatus for fire fighting if necessary.

Section 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal Precautions

Remove all sources of ignition. Evacuate personnel to safe areas. Ensure adequate ventilation, especially in confined areas.

Water spray may reduce vapour; but may not prevent ignition in closed spaces.

VINYCOL 1520M2 UV

Supercedes Date: 12-Aug-2016

For emergency responders

Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel.

6.2. Environmental precautions

Do not empty into drains, dispose of this material and its container at hazardous or special waste collection point.

6.3. Methods and material for containment and cleaning up

Methods for Containment	Dyke far ahead of spill; use dry sand to contain the flow of material. Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see Section 13).
Methods for cleaning up	Use clean non-sparking tools to collect absorbed material. Dyke far ahead of liquid spill for later disposal.
6.4. Reference to other sections	
Reference to other sections	See Section 12: ECOLOGICAL INFORMATION

Reference to other sections

Section 7: HANDLING AND STORAGE Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Section 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Advice on safe handling

Keep away from heat/sparks/open flames/hot surfaces. — No smoking. Take precautionary measures against static charges. Use explosion-proof electrical/ventilating/lighting /equipment.

General Hygiene Considerations

Do not eat, drink or smoke when using this product. Regular cleaning of equipment, work area and clothing is recommended.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions

Keep only in the original container/package in a cool well-ventilated place.

7.3. Specific end use(s)

Other Information

Recommendation(s). Observe technical data sheet.

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Only European Community Occupational Exposure Limits will be shown in this document. Please refer to regional SDS for further information.

Chemical Name	European Union
Methyl ethyl ketone	TWA: 200 ppm
78-93-3	TWA: 600 mg/m ³
	STEL: 300 ppm
	STEL: 900 mg/m ³
Acetone	TWA: 500 ppm
67-64-1	TWA: 1210 mg/m ³

Derived No Effect Level (DNEL) No information available

Predicted No Effect Concentration No information available. (PNEC)

VINYCOL 1520M2 UV Supercedes Date: 12-Aug-2016

8.2. Exposure controls

Engineering Controls	Ensure adequate ventilation, especially in confined areas.
Personal Protective Equipment	
Eye/Face Protection Skin and Body Protection	Tight sealing safety goggles. Face protection shield. Antistatic footwear. Wear fire/flame resistant/retardant clothing. Gloves made of plastic

or rubber. Suitable protective clothing. Apron.

Environmental Exposure Controls Do not allow into any sewer, on the ground or into any body of water.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical State Appearance Colour Odour Odour Threshold	Liquid Viscous Colourless Hydrocarbons No information available	
Property	Values	Remarks • Method
рН	No information available	
Melting point/freezing point Boiling Point	No information available 56 °C / 132.8 °F	
Flash Point	-17 °C / 1.4 °F	CC (closed cup)
Evaporation Rate	No information available	
Flammability (solid, gas)	No information available	Not applicable for liquids
Flammability Limit in Air		
Upper Flammability Limit	13	
Lower Flammability Limit	1.2	
Vapour Pressure	< 110	kPa @ 23 °C
Vapour Density	No information available	
Specific Gravity	0.85 - 0.89	@ 23 °C
Water Solubility Solubility in Other Solvents	Insoluble in water Acetone	
Partition Coefficient	No information available	
Autoignition Temperature	No information available	
Decomposition Temperature	No information available	
Explosive Properties	No information available	
Explosive Limits	No information available	
Upper	No information available	
Lower	No information available	
Oxidising Properties	No information available	
Kinematic Viscosity	No information available	
Dynamic Viscosity	> 2300 - 2900 mPas	@ 20 °C
9.2. Other information		
Softening Point	No information available	
Molecular Weight	No information available	
Solvent content (%)	No information available	
Solid content (%)	> 18	
Density Bulk Density	No Data Available	
Bulk Density	No Data Available	
VOC content (%)		

Section 10: STABILITY AND REACTIVITY

10.1. Reactivity

Stable under recommended storage conditions.

VINYCOL 1520M2 UV Supercedes Date: 12-Aug-2016

10.2. Chemical stability

Stable under recommended storage conditions.

Explosion Data Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge May be ignited by friction, heat, sparks or flames.

10.3. Possibility of hazardous reactions

Possibility of Hazardous Reactions

None under normal processing.

10.4. Conditions to avoid

Keep away from heat, sparks and flames.

10.5. Incompatible materials

Strong acids and bases.

10.6. Hazardous decomposition products

None under normal use conditions.

Section 11: TOXICOLOGY INFORMATION

11.1. Information on toxicological effects

Product Information

No information or data specific to the product on this toxicological (health) effect is available.

Inhalation Eye contact Skin Contact Ingestion Sensitisation	No Data Available. No Data Available. No Data Available. No Data Available. No Data Available.
Skin Corrosion/Irritation	Not applicable.
Serious eye damage/eye irritation	Not applicable.
Sensitisation	Not applicable.
Germ Cell Mutagenicity	Not applicable.
Carcinogenicity	Not applicable.
Reproductive Toxicity	No information available.
STOT - Single Exposure	No information available.
STOT - Repeated Exposure	No information available.
Target Organ Effects	Central nervous system, Eyes, Kidney, Liver, Respiratory system, Skin.
Aspiration Hazard	No information available.
Numerical measures of toxicity	

VINYCOL 1520M2 UV Supercedes Date: 12-Aug-2016

Acute Toxicity

The following values are calculated based on chapter 3.1 of the GHS documentATEmix (oral)3,086.00 mg/kgATEmix (dermal)6,696.00 mg/kgATEmix (inhalation-dust/mist)45.90 mg/l

Unknown acute toxicity 82 % of the mixture consists of ingredient(s) of unknown toxicity.

0 % of the mixture consists of ingredient(s) of unknown acute oral toxicity.

1.66 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity.

29.706 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas).

81.856 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapour). 1.66 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist).

Component Information

Toxicity Data

No information available

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Methyl ethyl ketone 78-93-3	= 2483 mg/kg (Rat)	= 5000 mg/kg (Rabbit)	= 11700 ppm (Rat)4 h
Acetone 67-64-1	= 5800 mg/kg (Rat)	>15800 mg/Kg (rat)	= 50100 mg/m³(Rat)8 h
1-Nitropropane 108-03-2	= 455 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	= 11.02 mg/L (Rat)1 h
Diisopropylnaphthalene 38640-62-9	= 3900 mg/kg (Rat)	> 4500 mg/kg (Rat)	> 5.64 mg/L (Rat)4 h

Section 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Ecotoxicity

Harmful to aquatic life with long lasting effects

Component Information

Data obtained on the component(s) include

Chemical Name	Algae/aquatic plants	Fish	Crustacea	M-Factor
Methyl ethyl ketone	EC50=1972 mg/l	LC50 96 h 3130 - 3320 mg/L	EC50 48 h > 308 mg/L	
78-93-3	(Pseudokirchneriella	(Pimephales promelas	(Daphnia magna)	
	subcapitata)	flow-through)		
Acetone	-	LC50 96 h 4.74 - 6.33 mL/L	EC50 48 h 10294 - 17704	
67-64-1		(Oncorhynchus mykiss)	mg/L (Daphnia magna Static)	
1-Nitropropane	EC50 72 h = 456 mg/L	LC50 (96h) 227 mg/L Fish	EC50 (48h) 380 mg/L Daphnia	
108-03-2	(Pseudokirchneriella	(Oncorhynchus mykiss)	(Daphnia magna)	
	subcapitata)		,	
Diisopropylnaphthalene	0.15 mg/l (algae)	>0.5 mg/l	0.16 mg/l (Daphnia magna)	
38640-62-9	,		equivalent OECD 202	

12.2. Persistence and degradability

No information available.

12.3. Bioaccumulative potential

No information available.

Partition coefficient

No information available

12.4. Mobility in soil

Mobility in soil

No information available.

12.5. Results of PBT and vPvB assessment

The components in this formulation do not meet the criteria for classification as PBT or vPvB.

12.6. Other Adverse Effects

No information available

Endocrine Disruptor Information

This product does not contain any known or suspected endocrine disruptors.

Section 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste from Residues/Unused Products	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated Packaging	Improper disposal or reuse of this container may be dangerous and illegal.
European Waste Catalogue	08 04 09* waste adhesives and sealants containing organic solvents or other dangerous substances
Other Information	Waste codes should be assigned by the user based on the application for which the product was used.

Section 14: TRANSPORTATION INFORMATION

ADR

14.1 UN/ID no	UN1133
14.2 Proper Shipping Name	Adhesives, Environmentally Hazardous
14.3 Hazard Class	3
Hazard Labels	3
14.4 Packing Group	III
Description	UN1133, Adhesives, Environmentally Hazardous, 3, III, (D/E)
14.5 Environmental Hazard	ves
14.6 Special Provisions	640E
Classification Code	F1
Tunnel restriction code	(D/E)
Limited Quantity (LQ)	5 L ´
ADR Hazard Id (Kemmler	30
Number)	
IMDG	
14.1 UN/ID no	UN1133
14.2 Proper Shipping Name	Adhesives
14.3 Hazard Class	3
14.4 Packing Group	
Description	UN1133, Adhesives, 3, III, (-17°C c.c.)
14.5 Marine Pollutant	Np
14.6 Special Provisions	223, 955
Limited Quantity (LQ)	5 L
EmS-No	F-E, S-D
14.7 Transport in bulk according t	to Annex II of MARPOL 73/78 and the IBC Code No information available
RID	
14.1 UN/ID no	UN1133
14.2 Proper Shipping Name	Adhesives, Environmentally Hazardous
14.3 Hazard Class	3

 14.4 Packing Group Description 14.5 Environmental Hazard Classification Code 14.6 Special Provisions Limited Quantity (LQ) 	III UN1133, Adhesives, Environmentally Hazardous, 3, III yes F1 None 5 L
ICAO (air) 14.1 UN/ID no 14.2 Proper Shipping Name 14.3 Hazard Class 14.4 Packing Group Description 14.5 Environmental Hazard 14.6 Special Provisions	UN1133 Adhesives 3 III UN1133, Adhesives, 3, III yes A3
IATA 14.1 UN/ID no 14.2 Proper Shipping Name 14.3 Hazard Class 14.4 Packing Group Description 14.5 Environmental Hazard 14.6 Special Provisions Limited Quantity (LQ) ERG Code	UN1133 Adhesives 3 III UN1133, Adhesives, 3, III yes A3 10 L 3L

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Check whether measures in accordance with Directive 94/33/EC for the protection of young people at work must be taken.

Take note of Directive 92/85/EC on the protection of pregnant and breastfeeding women at work

Registration, Evaluation, Authorization, and Restriction of Chemicals (REACh) Regulation (EC 1907/2006)

EU-REACH (1907/2006) - Candidate List of Substances of Very High Concern (SVHC) for Authorization in accordance with Article 59

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction

This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

EU-REACH (1907/2006) - Annex XIV - List of substances subject to Authorization

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

Dangerous substance category per Seveso Directive (2012/18/EU)

P5a - FLAMMABLE LIQUIDS

or

VINYCOL 1520M2 UV Supercedes Date: 12-Aug-2016

P5b - FLAMMABLE LIQUIDS or P5c - FLAMMABLE LIQUIDS

Ozone-depleting substances (ODS) regulation (EC) 1005/2009 Not applicable

Persistent Organic Pollutants Not applicable

National Regulations

France

Occupational Illnesses (R-463-3, France)

Chemical Name	French RG number
Methyl ethyl ketone	RG 84
78-93-3	
Acetone	RG 84
67-64-1	
1-Nitropropane	RG 84
108-03-2	

<u>Germany</u>

Ordinance on Industrial Safety and Health - Germany - BetrSichV

Flammable liquid (R11), EEC: refer to Annex III No. 1 (fire and explosion hazards) and § 7 paragraph 4

Netherlands

List of Carcinogenic, mutagenic and reproductive toxin substances in accordance with Inspectorate SZW (Netherlands)

Not Listed

15.2. Chemical safety assessment

No information available

Section 16: OTHER INFORMATION

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of H-Statements referred to under section 3

H302 - Harmful if swallowed

- H312 Harmful in contact with skin
- H332 Harmful if inhaled
- H226 Flammable liquid and vapour
- H304 May be fatal if swallowed and enters airways
- H410 Very toxic to aquatic life with long lasting effects
- H319 Causes serious eye irritation
- H336 May cause drowsiness or dizziness
- H225 Highly flammable liquid and vapour

EUH066 - Repeated exposure may cause skin dryness or cracking

Legend

SVHC: Substances of Very High Concern for Authorisation:

VINYCOL 1520M2 UV Supercedes Date: 12-Aug-2016

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWATWA (time-weighted average)STELCeilingMaximum limit value*PBTPersistent, Bioaccumulative, and Toxic (PBT) Chemicals*STOT (RE):Specific target organ toxicity - Repeated exposureSTOT (SE):Specific target organ toxicity - Single exposureEWC:European Waste Catalogue

STEL (Short Term Exposure Limit) Skin designation

Key literature references and sources for data

Classification and labeling data calculated from data received from raw material suppliers

Prepared By	Product Safety & Regulatory Affairs
Revision Date	16-Nov-2016
Indication of changes	
Revision Note	SDS sections updated: 3, 11.
Training Advice	Provide adequate information, instruction, and training for operator
Additional information	No information available

This safety data sheet complies with the requirements of: Regulation (EC) No. 1907/2006

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet